



AGRICULTURAL MACHINERY SINCE 1920



BRACCI DECESPUGLIATORI

Bush cutter machine

Debroussailleuse






Böschungsmäher

Brazo Deshojador



BRF






BRF

| MOD | A mm. | B mm. | C mm. | D mm. | E mm. | F mm. | G mm. |  |  Kg |  KW CV |  Kg |  |
|---------|-------|-------|-------|-------|-------|-------|------------|---|---|---|--|--|
| BRF/160 | 1700 | 1900 | 1100 | 2300 | 1100 | 1350 | 500 | 28 | 230 | 15 20 | 600 | |
| BRF/250 | 2500 | 2400 | 2000 | 2800 | 1600 | 1700 | 600 | 28 | 260 | 18 25 | 700 | |
| BRF/300 | 3000 | 2900 | 2500 | 3000 | 1800 | 1900 | 800 | 40 | 300 | 22 30 | 800 | |
| BRF/350 | 3500 | 3400 | 3000 | 3500 | 2000 | 2100 | 800 | 40 | 350 | 26 35 | 900 | |



BRV






BRV

| MOD | A mm. | B mm. | C mm. | D mm. | E mm. | F mm. | G mm. |  |  Kg |  KW CV |  Kg |  |
|---------|-------|-------|-------|-------|-------|-------|-------------|---|---|---|--|---|
| BRV/400 | 4200 | 3400 | 3300 | 4800 | 2600 | 2300 | 1000 | 36 | 530 | 37 50 | 2100 | |
| BRV/450 | 4700 | 3900 | 3500 | 5000 | 3100 | 2500 | 1000 | 36 | 570 | 44 60 | 2200 | |



BRC






BRC

| MOD | A mm. | B mm. | C mm. | D mm. | E mm. | F mm. | G mm. |  |  Kg |  KW CV |  Kg |  |
|---------|-------|-------|-------|-------|-------|-------|-------------|---|---|---|--|--|
| BRC/450 | 4500 | 3800 | 3500 | 3900 | 2400 | 2400 | 1000 | 32+16 | 820 | 44 60 | 2500 | |
| BRC/485 | 4850 | 4150 | 3850 | 4250 | 2500 | 2450 | 1000 | 32+16 | 850 | 51 70 | 2800 | |
| BRC/530 | 5300 | 4600 | 4300 | 4700 | 2650 | 2600 | 1000 | 32+16 | 870 | 59 80 | 3200 | |



BRL


BRL





| MOD | A mm. | B mm. | C mm. | D mm. | E mm. | F mm. | G mm. |  |  Kg |  KW CV |  Kg |  |
|---------|-------|-------|-------|-------|-------|-------|-------------|---|--|---|--|---|
| BRL/500 | 5100 | 4500 | 4200 | 4700 | 2400 | 3000 | 1000 | 32+16 | 990 | 59 80 | 3700 | |
| BRL/600 | 6200 | 5300 | 5200 | 5700 | 2550 | 3900 | 1200 | 40+20 | 1060 | 66 90 | 4300 | |



BRT

BRT TELESCOPICO
BRT TELESCOPIC BUSH CUTTER MACHINE
BRAS EFFEUILLEUR TELESCOPIQUE BRT
TELESKOPBÖSCHUNGSMÄHER BRT
BRAZO DESHOJADOR TELESCOPICO BRT




| MOD | A mm. | B mm. | C mm. | D mm. | E mm. | F mm. | G mm. |  |  Kg |  KW CV |  Kg |
|---------|----------|----------|----------|----------|----------|----------|-------------|---|---|---|---|
| BRT/580 | 5800 | 5000 | 4800 | 5400 | 2450 | 3700 | 1200 | 40+20 | 1120 | 66 90 | 4200 |
| BRT/660 | 6600 | 5900 | 5700 | 6600 | 2550 | 4100 | 1200 | 40+20 | 1220 | 73 100 | 5000 |



Testa con trasmissione a cinghie

Head With Belt
Transmission
Tête Avec Transmission Par
Courroies
Kopf Mit Riemenantrieb
Cabeza Con Transmisión
Con Correa



Barre di taglio falcianti per bracci decespugliatori

Shred cutting bar for bush
cutter machine
Barre de coupe fauchant
pour bras effeuilleurs.
Stange für
Böschungsmäher
Barra para brazo



Testate per escavatori

Heads for boom machines
Tête pour excavateurs
Kopf für Bagger
Testada para escavadora



Barre di taglio a dischi per bracci decespugliatori

Disc cutting bar for bush
cutter machines
Barre de coupe avec
disques pour bras
effeuilleurs
Stange mit Scheiben für
Böschungsmäher
Barra con discos
para brazo

RINIERI S.r.l.

47121 FORLÌ (ITALY) - Viale dell'Appennino, 606/B
Tel. 0543 86066 - Fax 0543 83418
rinieri@rinieri.com - www.rinieri.com

